




TOTAL SUPPORT
Sales and Service Network
of 24 centres ensures after sales
service and maintenance
of all Western equipments.

**PAN INDIA SERVICE
NETWORK**
1800-120-8376



● **WESTERN
BRANCHES**

● **SERVICE
STATIONS**

WEST ZONE:

Mumbai RO:- 608, 6th Floor, Avior Galaxy, Opp Johnson & Johnson, LBS Marg, Mulund (West), Mumbai, Maharashtra. Ph: 022-67698181.
Mumbai HO:- 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra. Ph: 022-67161200 / 201.
Pune:- 2163/26, Manas Building, Near Nilayam theatre, Sadashiv peth, Pune - 411030. Ph: 9860073030.
Nashik:- Bilvada bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin - 422101. Ph: 9765559949.
Nagpur:- Plot No 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur - 440015. Ph: 9860239069.
Ahmedabad:- 203, ABC-II, Opp. Wagh Bakri Tea Lounge, Near St. Xavier College Corner, Off CG Road, Navrangpura, Ahmedabad - 380009. Ph: 9909990827.
Rajkot:- Served From Ahmedabad. Ph: 9925767474.
Goa:- Shop No.1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim - 403204, Goa. Ph: 7600020032.
Indore:- Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore - 452001. Ph: 7745990999.
Vapi:- Ph: 079-29700872.

SOUTH ZONE:

Chennai:- Old No.14, new No 47, 12th Avenue, Ashok Nagar, Chennai - 600083. Ph: 9962541772.
Coimbatore:- No - 152-A, Meenachi Mahal, Deivanayagi Nagar, Sanganoor Road, Ganapathy, Coimbatore - 641006. Ph: 9962566033.
Cochin:- B.No: 2/378A, Methanam Road, Elloor North, Udyogamandal P.O. Kochi - 683501. Ph: 9745633376.
Hyderabad:- D.No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad - 55. Ph: 9885728001.
Bangalore:- Survey 42/1, Katha No. 191/142/1, Haralukutte Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore 560008. Ph: 9538118184.
Vijaywada:- Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijaywada Rural, Krishna Dist., AP 521225. Ph: 9052220074.
Vizag:- Served from vijaywada. Ph: 9951052786.
Hubli:- C/O - Madhuban Industries, Plot No - 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad - 580009 (Karnataka) Ph: 7600020032/9844242367.

EAST ZONE:

Kolkata:- 60C Chowringhee Road, 1st Floor, Suite No. C4, Kolkata - 700020. Ph: 7603041200/7797335678.
Bhubaneswar:- C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At-hanspal, PS-Mancheswar, Bhubaneswar - 752101 (ODISHA). Ph: 9777452203.
Patna:- S S Vihar, 4th Floor, Flat no.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna - 800 001. Ph: 9142826595/8073666193.
Guwahati:- C/o. Laikalai Enterprises, House No.4, Bhagya Chandra Path, Chiralai Nagar, Guwahati - 781032. Ph: 9830361180.
Ranchi:- Lower Chutia, Samlong, Ranchi, Jharkhand - 834001. Phone: 9431107326.
Chattisgarh:- Block A, Flat no. 303, 3rd floor, Cross Road Apartment, Amlidih, Raipur. Ph: 8889098789.

NORTH ZONE:

Delhi:- Unit no. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector - 3, Rohini, Delhi-110085. Ph: 9953006474.
Jaipur:- Hall Mark, Special ("F"), Road No:-1, Industrial Estate 22 Godam, Jaipur, Rajasthan - 302006. Ph: 982892244.
Lucknow:- Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P) Pin - 226021. Ph: 9919466664.
Ludhiana:- 4222/1, Bent Pura, Chandigarh Road, Behind Sictech Computer, Ludhiana - 141010. Ph: 9988802850 / 9501905943.
Chandigarh:- Near Hotel Kk Residency Shop No-1, House No-213 Sector 52, Village- Kajheri Chandigarh (U.T) Contact Pin No 160047. Ph: 9779944557.
Jammu:- Birpur, Purmandal Road, Samba Jammu-191133 (INDIA). Ph: 9419228046 / 7051372565.
Agra:- 1238, Privash Nagar, Mathura Road, Ballpur, Agra- 282007. Ph: 9828656503



WESTERN REFRIGERATION PVT. LTD.

Head Office: 7/B Pannalal Silk Mills Compound,
78 L.B.S. Marg, Bhandup (W), Mumbai: 400 078.
Tel: 022-67161200/ 201
Email: sales@westernequipments.com
Website: www.westernequipments.com



HOSHIZAKI



STAINLESS STEEL SERIES

UPRIGHT CHILLER / FREEZER




Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves

Product Variation:



HRW-77MS4 / LS4



HFW-77MS4-IC / LS4-IC

Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Door / Shelf: 4 nos. of shelves




FREEZER

CHILLER



Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 8 nos. of shelves

Product Variation:



HRW-127MS4 / LS4

Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Door / Shelf: 8 nos. of shelves



HFW-127MS4-IC / LS4-IC



Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 8 nos. of shelves

Product Variation:



HRW-147MS4 / LS4

Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Door / Shelf: 8 nos. of shelves



HFW-147MS4-IC / LS4-IC

STATIC RANGE



RTSW97MS4-GNTE

Volume: 270 Liters
Dimensions (with Castors): 900 (W) X 700 (D) X 1056 (H)
Power Supply: 230V AC / 50 Hz
Temperature Range: -2°C to 8°C
Door / Shelf: 4 nos. of shelves / 4 rail sets

RTSW137MS4-GNTE

Volume: 417 Liters
Dimensions (with Castors): 1350 (W) X 700 (D) X 1056 (H)
Power Supply: 230V AC / 50 Hz
Temperature Range: -2°C to 8°C
Door / Shelf: 6 nos. of shelves / 6 rail sets



HRSW-76MS4

Volume: 507 Liters
Dimensions (with 90mm leg): 660 (W) x 750 (D) x 1890 (H)
Power Supply: 230V AC / 50 Hz
Temperature Range: 0°C to 12°C
Door / Shelf: 4 nos. of shelves

HFSW-76MS4

Volume: 507 Liters
Dimensions (with 90mm leg): 680 (W) x 760 (D) x 1890 (H)
Power Supply: 230V AC / 50 Hz
Temperature Range: -10°C to -25°C
Door / Shelf: 4 nos. of shelves

UPRIGHT COMBI



Volume: Freezer: 305 Liters
 Chiller: 305 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: Freezer: -16°C to -23°C
 Chiller: -2°C to 12°C
Door / Shelf: 4 nos. of shelves

Product Variation:




HRFW-77MS4 / LS4



HRFW-127MS4 / LS4

Volume: Freezer: 510 Liters
 Chiller: 510 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: Freezer: -7°C to -25°C
 Chiller: -2°C to 12°C
Door / Shelf: 8 nos. of shelves



HRSW-126MS4

Volume: 988 Liters
Dimensions (with 90mm leg): 1200 (W) x 750 (D) x 1890 (H)
Temperature Range: 0°C to 12°C
Door / Shelf: 8 nos. of shelves

HFSW-126MS4

Volume: 988 Liters
Dimensions (with 90mm leg): 1220 (W) x 760 (D) x 1890 (H)
Temperature Range: -10°C to -25°C
Door / Shelf: 8 nos. of shelves

• LS4 INDICATES LED (OPTIONAL)

LONG GLASS UNITS



HRW-77LS4-LG

Volume: 628 Liters
Dimensions: 700 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 4 Shelves



HRW-127LS4-LG

Volume: 1119 Liters
Dimensions: 1200 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 8 Shelves



UPRIGHT SHOWCASE

SRC900-HL

Volume: 803 Liters
Dimensions (with 150mm leg): 900 (W) x 785 (D) x 2188 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 10 nos. of shelves

Product Variation:



Basic Model

DRAWER SERIES



RTDW120MS4-33

Volume: 324 Liters
Dimensions (with 150mm leg): 1240 (W) x 760 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: NA

Product Variation:



Basic Model



With Splash Back Top 150mm



RTDW170MS4-333

Volume: 478 Liters
Dimensions (with 150mm leg): 1660 (W) x 760 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: NA

Product Variation:



Basic Model



With Splash Back Top 150mm



RTDW137MS4-33

Volume: 305 Liters
Dimensions (with 150mm leg): 1300 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: NA

Product Variation:



Basic Model



With Splash Back Top 150mm



Prep. Table Single Row



Prep. Table Double Row



Prep. Table Single Row with SB



Prep. Table Single Row



RTDW187MS4-333

Volume: 461 Liters
Dimensions (with 150mm leg): 1765 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: NA

Product Variation:



Basic Model



With Splash Back Top 150mm



Prep. Table Single Row



Prep. Table Double Row



Prep. Table Single Row with SB



Prep. Table Single Row



STAINLESS STEEL SERIES



UNDER COUNTER CHILLER / FREEZER

CHILLER

RTW-70MS4 / LS4

Volume: 171 Liters
Dimensions (with 150mm leg): 700 (W) x 755 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 2 nos. of shelves


Product Variation:



RTW-120MS4 / LS4

Volume: 306 Liters
Dimensions (with 150mm leg): 1200 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves

Product Variation:



RTW-126MS4 / LS4

Volume: 233 Liters
Dimensions (with 150mm leg): 1200 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves


Product Variation:



RTW-150MS4 / LS4

Volume: 418 Liters
Dimensions (with 150mm leg): 1500 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves

Product Variation:



RTW-156MS4 / LS4

Volume: 318 Liters
Dimensions (with 150mm leg): 1500 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves


Product Variation:



FREEZER


FTW-70MS4 / LS4

Volume: 171 Liters
Dimensions (with 150mm leg): 700 (W) x 755 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 2 nos. of shelves



FTW-120MS4 / LS4

Volume: 306 Liters
Dimensions (with 150mm leg): 1200 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 4 nos. of shelves




FTW-126MS4 / LS4

Volume: 233 Liters
Dimensions (with 150mm leg): 1200 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 4 nos. of shelves



FTW-150MS4 / LS4

Volume: 418 Liters
Dimensions (with 150mm leg): 1500 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 4 nos. of shelves



FTW-156MS4 / LS4

Volume: 318 Liters
Dimensions (with 150mm leg): 1500 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 4 nos. of shelves




CHILLER

RTW-127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 4 nos. of shelves


Product Variation:



RTW-177MS4-GN / LS4-GN

Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 6 nos. of shelves


Product Variation:



RTW-180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 6 nos. of shelves

Product Variation:



RTW-186MS4 / LS4

Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: 6 nos. of shelves


Product Variation:



FREEZER


FTW-127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 4 nos. of shelves




FTW-177MS4-GN / LS4-GN

Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 6 nos. of shelves




FTW-180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 6 nos. of shelves



FTW-186MS4 / LS4

Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Door / Shelf: 6 nos. of shelves



• LS4 INDICATES LED (OPTIONAL)

• LS4 INDICATES LED (OPTIONAL)